



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.ispto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/253,250	02/19/1999	MICHAEL E. BASKEY	PO9-99-014	5382
759	90 01/27/2003			
FLOYD A. GONZALEZ ILLECTUAL PROPERTY LAW 2455 SOUTH ROAD, P386			EXAMINER	
			TODD, GREGORY G	
POUGHKEEPSIE, NY 12601			ART UNIT	PAPER NUMBER
			2157	15
			DATE MAILED: 01/27/2003	10

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary		Application No.	Applicant(s)				
		09/253,250	BASKEY ET AL.				
		Examiner	Art Unit				
	The MAIL INC DATE of the	Gregory G Todd	2157				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
THE I - Exter after - If the - If NO - Failu - Any r	ORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period we to reply within the set or extended period for reply will, by statute, eply received by the Office later than three months after the mailing ad patent term adjustment. See 37 CFR 1.704(b).	i6(a). In no event, however, may a reply be tir within the statutory minimum of thirty (30) day ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	mely filed rs will be considered timely. the mailing date of this communication. D (35 U.S.C. \$ 133)				
1)⊠	Responsive to communication(s) filed on <u>03 D</u>	<u>lecember 2002</u> .					
2a)⊠	This action is FINAL . 2b) Thi	s action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
	on of Claims						
•	Claim(s) 1-22 is/are pending in the application.						
	4a) Of the above claim(s) is/are withdrawn from consideration. Claim(s) is/are allowed.						
· <u> </u>	6)⊠ Claim(s) <u>1-22</u> is/are rejected.						
	Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement.							
Application Papers							
9) The specification is objected to by the Examiner.							
10)⊠ The drawing(s) filed on is/are: a)□ accepted or b)□ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
11)⊠ The proposed drawing correction filed on <u>03 December 2002</u> is: a) approved b)⊠ disapproved by the Examiner.							
If approved, corrected drawings are required in reply to this Office action.							
12) The oath or declaration is objected to by the Examiner.							
	nder 35 U.S.C. §§ 119 and 120						
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a) All b) Some * c) None of:							
	1. Certified copies of the priority documents have been received.						
	2. Certified copies of the priority documents have been received in Application No.						
	 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
14)∐ A	14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).						
a) ☐ The translation of the foreign language provisional application has been received. 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.							
Attachment							
2) 🔲 Notice	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449) Paper No(s) <u>8</u>	5) Notice of Informal F	r (PTO-413) Paper No(s) Patent Application (PTO-152)				

Art Unit: 2157

DETAILED ACTION

Response to Amendment

1. This is a second office action in response to applicant's amendment filed, 03 December 2002, of application filed, with the above serial number, on 19 February 1999 in which claims 1-2, 7, 9-10, 12-15, 18-19 and 22 have been amended and claims 3-6, 8, 11, 16-17, and 20-21 have been unaltered. Claims 1-22 are therefore pending in the application.

Claim Rejections - 35 USC § 112

- 2. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 3. Claim 12 recites the limitation "said application server(s)" in line 4. There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1-2, 4, 6, 10-13, 14-15, 17, and 19-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Caldarale et al (hereinafter "Caldarale", 5,659,794).

Application/Control Number: 09/253,250 Page 3

Art Unit: 2157

3. As per Claim 1, Caldarale discloses an apparatus for providing direct processing access between application servers and application users wherein Caldarale discloses:

- main storage capable of establishing processing communication with more than one application server (feature of Fig. 1 (24); at least col. 6, lines 21-27, 9-12);
- main storage containing a queuing mechanism for retrieval and storage of incoming and outgoing data without causing interrupts in any running programs (feature of Fig. 2 (59 &60)) (at least col. 8, lines 15-16, 25-27);
- an interface element capable of establishing processing communication between said queuing mechanism and at least one application user (NIOP) (feature of Fig. 1 (10 & 46 & 16));
- an interrogator (network I/O microcode controlling queue bank) operating independent of any application server for examining multiple queues in queue mechanism to transfer appropriate requests, responses and data between application servers and application user(s) (at least col. 7, line 44 col. 8, line 25).
- 4. As per Claim 2.
- interface element further comprises of a connector interface element (channel/peripheral interfaces) (at least col. 6, lines 39-41)) and a network interface element (network interface) (features of Fig. 1 (10 26)).
- 5. As per Claim 4.
- connector interface element comprises a plurality of processors (at least one NIOP / multiple NIOPs) (at least col. 6, lines 32-46).

Art Unit: 2157

6. As per Claim 6.

- main storage can be in processing communication with a plurality of network elements and servers (at least col. 6, lines 21-27, 9-12; Fig. 1).

7. As per Claim 10.

- network interface element further comprises an I/O device adapter (NIOP contains...Channel/Network I/O microcode...Channel microcode utilizes CA...multiple adapters in NIOP, network channels) (at least col. 7, lines 13-19, 40-41), at least one more processor (network interface controller) (at least col. 7, lines 42-46) and a local storage area (NIOP message buffers made up of queue banks) (at least col. 7 line 63 - col. 8 line 2).

8. As per Claim 11.

- Network Interface Element is capable of connecting to one or more individual application users (feature of Fig. 1).

9. As per Claim 12.

- Interface Element (NIOP) performs computing network environment functions establishing network communications between said application server(s) and said application user(s) (at least col. 7, lines 50-57).

10. As per Claim 13.

- Interface Element (NIOP) performs control unit (I/O device controlling) functions (buffering and queuing) (at least col. 7, lines 50-57).

11. As per Claim 14, Caldarale discloses an apparatus for providing direct processing access between a main storage, capable of connecting to more than one

Page 4

Art Unit: 2157

application server and an interface element with at least one adapter capable of establishing processing communication with at least one application user(s), and adapter wherein Caldarale discloses:

- data receivers set up in each of the application servers for processing data (servers implicitly process received data) (at least col. 6, lines 20-31);
- a plurality of queues located in main storage for providing continuous running of programs without interruptions (feature of Fig. 2);
- an updator for changing the status of network computing system every time new data is received, deleted or modified (at least col. 3, lines 55-65; col. 9, lines 29-31);
- an interrogator operating independent of any application server for interrogating multiple existing queues in main storage simultaneously to process any received data or requests such that data or requests may be received from more than one application server (at least col. 7, line 44 col. 8, line 25);
- a determinator for interrogation and routing of data to appropriate application user to which data has been forwarded (transferring to particular network interface based on network interface ID and address) (at least col. 17, lines 21-51).

12. As per Claim 15.

- interface element further comprises of a connector interface element (channel/peripheral interfaces) (at least col. 6, lines 39-41)) and a network interface element (network interface) (features of Fig. 1 (10 26)).
- 13. As per Claim 17.

Page 5

Art Unit: 2157

- main storage can be in processing communication with a plurality of network elements and servers (at least col. 6, lines 21-27, 9-12; Fig. 1).

14. As per Claim 19.

- network interface element further comprises an I/O device adapter (NIOP contains...Channel/Network I/O Microcode...Channel microcode utilizes CA...multiple adapters in NIOP, network channels) (at least col. 7, lines 13-19, 40-41), at least one more processor (network interface controller) (at least col. 7, lines 42-46) and a local storage area (NIOP message buffers made up of queue banks) (at least col. 7 line 63 col. 8 line 2).
- 15. As per Claim 20.
- Network Interface Element is capable of connecting to one or more individual application users (feature of Fig. 1).

Claim Rejections - 35 USC § 103

- 16. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 17. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Caldarale in view of Carbillet (hereinafter "Carbillet", 6,256,696).

Caldarale fails to disclose using his **plurality of processors for** specifically **redundant** capabilities. However, the use and advantages for using such a protocol is

Art Unit: 2157

well known to one skilled in the art at the time the invention was made as evidenced by the teachings of Carbillet. Carbillet discloses using a plurality of processors for the purpose of redundance in communication information processing systems (at least col. 1, lines 19-28). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of Carbillet's processor redundancy into Caldarale's multiple processors so as to protect the system from failure in the case of one processor failing for any reason, the other processor would go on to complete the information processing, especially important for critical informations systems.

18. Claims 7 & 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Caldarale in view of Brandt et al (hereinafter "Brandt", 6,081,834).

Although Caldarale suggests using a specific network protocol (at least Caldarale col. 11, lines 53-55), Caldarale fails to explicitly disclose using a TCP/IP oriented webserver. However, the use and advantages for having such a protocol implemented on the network is well known to one skilled in the art at the time the invention was made as evidenced by the teachings of Brandt (at least col. 12, lines 1-7; col. 10, lines 51-55). Brandt teaches a network provider (web server) using a TCP/IP protocol. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have a TCP/IP oriented web-server on Caldarale's network because this would enhance the expendability and compatibility of Caldarale's network since it would allow

Art Unit: 2157

for the incorporation of new and future networking protocol implementations for existing network equipment and users.

19. Claims 3 & 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Caldarale in view of Casper et al (hereinafter "Casper", 6,192,482).

Caldarale fails to disclose the connector interface element is in processing communication with main storage via a Self-Timed Interface or an STI bus. However, the use and advantages for using such an interface is well known to one skilled in the art at the time the invention was made as evidenced by the teachings of Casper (at least abstract; col. 7, lines 30-36). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to implement the use of a STI bus into Caldarale's system because the STI interface would offer more compatible interface connectivity solutions when different equipment vendors are involved, such as a heterogeneous system environment and is additionally operated at a faster clock speed.

- 20. Claims 9, 18, 21 & 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Caldarale in view of Leger et al (hereinafter "Leger", 5,765,023).
- 21. As per Claims 9 and 18.

Although Caldarale suggests using an ISA interface between the interface elements (at least col. 6, lines 32-35), Caldarale fails to disclose the connector interface element and network interface element being in processing communication with one

Art Unit: 2157

another via a PCI bus. However, the use and advantages for using such an interface is well known to one skilled in the art at the time the invention was made as evidenced by the teachings of Leger (at least col. 3, lines 35-42). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to implement Leger's use of a PCI bus as opposed to Caldarale's ISA bus because a PCI bus is a more widely-used interface and is additionally operated at a faster clock speed.

22. As per Claim 21.

Caldarale fails to disclose the connector interface element being in processing communication with main storage via a direct access memory I/O device. However, the use and advantages for using DMA between memory and an interface is well known to one skilled in the art at the time the invention was made as evidenced by the teachings of Leger (at least Leger abstract). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of using DMA between storage devices and I/O interfaces into Caldarale's system because this would enhance the speed and processing power of the other processors, by offloading this task to a DMA I/O device to move the data from one peripheral to the main memory for faster computations.

23. As per Claim 22.

Caldarale fails to disclose the connector interface element and network interface element being in processing communication with one another via a direct access memory I/O device. However, the use and advantages for using DMA between memory of different components (such as a peripheral and NIC) within a system is well known to

Art Unit: 2157

one skilled in the art at the time the invention was made as evidenced by the teachings of Leger (at least Leger abstract). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of using DMA between I/O interfaces into Caldarale's system because this would enhance the speed and processing power of the other processors, by offloading this task to a DMA I/O device to move the data to/from one peripheral from/to another component such as a NIC to be transferred over a network for faster network data transmission.

Response to Arguments

4. Applicant's arguments filed 03 December 2002 have been fully considered but they are not persuasive. In the remarks, the applicant argues in substance that A) Caldarale et al (hereinafter "Caldarale", 5,659,794) does not disclose communicating with multiple servers and an "interrogator" to examine multiple queues from the application servers as in claims 1 and 14; B) Caldarale in view of Carbillet (hereinafter "Carbillet", 6,256,696) do not disclose having a plurality of processors to be used with multiple queues in storage to transfer appropriate requests, responses and data between multiple application servers of the multiple processors and an application user as in claim 5; C) Caldarale in view of Brandt et al (hereinafter "Brandt", 6,081,834) do not disclose a TCP/IP oriented server in communication with main storage having a queuing mechanism wherein data may be exchanged with more than one application server as in claims 7 and 8; D) Caldarale in view of Casper et al (hereinafter "Casper", 6,192,482) do not disclose the STI link may be used in connection with main storage

Page 10

Art Unit: 2157

Page 11

having queuing mechanism wherein data may be exchanged with more than one application server as in claims 3 and 16; E) Caldarale in view of Leger et al (hereinafter "Leger", 5,765,023) do not disclose a main memory having a queuing mechanism wherein data may be exchanged with more than one application server as in claims 9, 18, 21, and 22.

- 5. In response to A): Caldarale clearly discloses connecting to at least one network (at least col. 6, lines 7-12) and that the system connects to the network with various servers and that "the number of...servers connected to the network and desiring to communicate with the computer system may be from several systems to hundreds of systems" (at least col. 6, lines 21-28) and that the main storage unit has a separate queue bank controlled by Network I/O Exec Services to store network messages and queues "interrogator" operating (at least col. 7 line 59 col. 8 line 10; Fig. 3). Therefore, the original rejection under Caldarale stands, as Caldarale exhibits those limitations being argued, and thus claims 1 and 14 and the claims depended therefrom are rejected under 35 U.S.C. 102(b) as being anticipated by Caldarale.
- 6. In response to B): Carbillet was not relied upon to teach the transferring appropriate requests, responses and data aspect of the invention, as Carbillet was relied upon simply as it discloses the use of multiple processors being used for redundant purposes.
- 7. In response to C): Brandt was not relied upon to teach the TCP/IP server in communication with the application servers sp ecifically, as Brandt was relied upon simply as it discloses the use of servers using the TCP/IP protocols.

Art Unit: 2157

- 8. In response to D): Casper was not relied upon to teach the STI link being used in connection with main storage to exchange data with multiple application servers, as Casper was relied upon simply as it discloses the use of the legacy STI bus to connect to an attached storage link.
- 9. In response to E): Leger was not relied upon to teach the main memory having a queuing mechanism wherein data may be exchanged with more than one application server, as Leger was relied upon simply as it discloses the use of the different interface elements and main storage communicating with each other via the different specific claimed buses and methods.

Conclusion

10. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 2157

24. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Bahls et al, Freund et al, Mukherjee et al, Brandt et al (6,021,430), Garcia, Bartek et al, Sharma et al, Chin et al, and Kawaguchi et al are cited for disclosing pertinent information related to the claimed invention. Applicants are requested to consider the prior art reference for relevant teachings when responding to this office action.

25. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gregory G Todd whose telephone number is (703)305-5343. The examiner can normally be reached on Monday - Friday 8:30am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ario Etienne can be reached on (703)308-7562. The fax phone numbers for the organization where this application or proceeding is assigned are (703)746-9153 for regular communications and (703)305-7201 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)305-3900.

at

January 17, 2003

BALEH NALJAR